according to regulation 1907/2006/EC (REACH)

## Trade name: Metabond Old Spezial

Version: 1 Latest revision:

Date of issue: 05. 09. 2013

Page: 1/(13)

## 1. Identification of the mixture and of the company/undertaking Product identifier: 1.1 **Metabond Old Spezial** Relevant identified uses of the mixture and uses advised against 1.2 Relevant identified uses: engine oil additive for gasoline and diesel engines, for passenger cars and commercial vehicles equally, in case of significant wear Uses advised against: no data 1.3 Details of the supplier of the safety data sheet: Metabond Magyarország Kft. H-9030 Győr, Gyöngyszem utca 18., Hungary Phone / Fax: +36 96 518260 **Responsible for SDS:** Metabond Magyarország Kft. H-9030 Győr, Gyöngyszem utca 18., Hungary Phone / Fax: +36 96 518260 E-mail: metabond@metabond.hu 1.4 Emergency telephone number Emergency telephone $(07-15^{20} h)$ : +36 96 518260 (CET) on workdays Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.) Tel.: +36 1 4766464, or +36 80 201199 National Health Toxicological Information Service: 2. Hazards identification 2.1 Classification of the substance according to regulation 1999/45/EC Human health hazards: Xi (irritant) R 36/38 Irritating to eyes and skin. Safety hazards: Danger symbol not required. Environmental hazards: Danger symbol not required. R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

according to regulation 1907/2006/EC (REACH)

## Trade name: Metabond Old Spezial

Version: 1 Latest revision: Date of issue: 05. 09. 2013

Page: 2/(13)

٦

Label eleme	nto						
Laber eleme	ents						
Product iden	ntification:	Trade name: Metabond Old Spezial					
Danger symbol(s) and indication(s):							
Hazardous s	ubstance(s):	-					
The packagin	ng must bear	the inscription: -					
R-phrases:	R 36/38 R 52/53	Irritating to eyes and skin. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.					
S-phrases:	S 2 S 26 S 60	Keep out of the reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. This material and its container must be disposed of as hazardous waste.					
	S 61	Avoid release to the environment. Refer to special instructions/safety data sheets.					
Tactile warn	ning of dang	er: Not required.					
Composition/information on ingredients							
Mixtures Chemical de	escription:	Mixture of refined mineral oils and synthetic oils with additives.					
	Product ider Danger sym Hazardous s The packagin R-phrases: S-phrases: Other liabili Tactile warn Transport cl Other hazar no data avai	Danger symbol(s) and in Hazardous substance(s): The packaging must bear R-phrases: R 36/38 R 52/53 S-phrases: S 2 S 26 S 60 S 60 S 61 Other liabilities for laber Tactile warning of dange Transport classification: Other hazards no data available					

according to regulation 1907/2006/EC (REACH)

## Trade name: Metabond Old Spezial

Version: 1

Latest revision:

Date of issue: 05. 09. 2013

Page: 3/(13)

Name	EU number	CAS number	Hazard symbol / Hazard classes and cat.	Risk phrase / Hazard statements	Conc %(m/n
4,4'-methylene	233-593-1	10254-57-6	67/548/EEC:		max. 3
bis(dibutyldithiocarbamate)			-	R 53	
REACH Registr. Nr.:			1272/2008/EC:		
01-2119708416-41			Aquatic Chronic 4	H413	
Distillates (petroleum),	295-301-9	91995-40-3	67/548/EEC:	<u> </u>	
dewaxed light			-	-	
paraffinic, hydrotreated*			(Note L)		
REACH Registr.Nr.:			1272/2008/EC:		
01-211948851 7-24			Asp.Tox.1	H304	
			(Note L)	$\succ$	
Lubricating oils (petrole-	305-594-8	94733-15-0	67/548/EEC:	(	max. 2
um), $C_{18-40}$ , solvent-			-	-	
dewaxed hydrocracked			(Note L)		
distillate-based*			1272/2008/EC:		
REACH Registr.Nr.:			Asp.Tox.1	H304	
01-2119486987-11			(Note L)	)	
Mineral oil raffinate*			67/548/EEC:		max. 1
			-	-	
			(Note L)		
			1272/2008/EC:		
			-	-	
			(Note L)		
Zinc alkyl dithiophosphate	272-028-3	68649-42-3	67/548/EEC:		max. 3.
× <u>些</u>			Xi, N	R 38, R 41,	
REACH Registr.Nr.:				R 51/53	
01-20119493626-26			1272/2008/EC:		
			Skin Irrit. 2	H315	
			Eye Dam. 1	H318	
			Aquatic Chronic 2	H411	
Olefin sulphide		confidential	67/548/EEC:		max. 1.
			-	R 52/53	
			1272/2008/EC:	***	
			Aquatic Chronic 3	H412	
O,O,O-triphenyl	209-909-9	597-82-0	67/548/EEC:		max. 0.
phosphorothioate			Xn	R 62, R 63	
×			1272/2008/EC:		
			Aquatic Chronic 4	H413	
			Repr. 2	H361	

according to regulation 1907/2006/EC (REACH)

## Trade name: Metabond Old Spezial

Version: 1 L

Latest revision:

Date of issue: 05. 09. 2013

Page: 4/(13)

Name	EU number	CAS number	Hazard symbol / Hazard classes and cat.	Risk phrase / Hazard statements	Conc. %(m/m)
Phenol, dodecyl-, branched	310-154-3	121158-58-5	67/548/EEC:		max. 0.3
★ 🕹			Xi, N	R 62 (Repr. cat.2),	
				R 36/38,	
				R 50/53	
			1272/2008/EC:		
			Repr. 2	H361	
			Skin Irrit. 2	H315	
			Eye Irrit 2	H319	
			Aquatic Acute 1	H400	
			Aquatic Chronic 1	H410	

\*: with exposure limit

The full text of each relevant R-, H- phrase and Hazard classes and cat. see in Section 16.

## 4. First aid measures

#### 4.1 Description of first aid measures General information: Never give anything by mouth to an unconscious person, or never induce vomiting. Inhalation: Remove the affected person to fresh air. If symptoms persist, seek medical attention. Skin Remove contaminated clothing. Wash skin with large amounts of water, use soap. If symptoms persist, seek medical attention. contact: Eye contact: Flush eyes with plenty of water for 10-15 minutes. If symptoms persist, seek medical attention. Ingestion: If swallowed, give water. Do not induce vomiting. Get medical attention. 4.2 Most important symptoms and effects, both acute and delayed No data. 4.3 Indication of any immediate medical attention and special treatment need Not required.

according to regulation 1907/2006/EC (REACH)

## Trade name: Metabond Old Spezial

Version: 1 Latest revision:

Date of issue: 05. 09. 2013

Page: 5/(13)

### 5. Fire-fighting measures

Fire hazards: See also Section 9 - flash point.

5.1 Extinguishing media Suitable extinguishing media: Foam, carbon dioxide, dry chemical powder.

> Unsuitable extinguishing media: Water jet.

5.2 Special hazards arising from the mixture Hazardous combustion products:

On burning, carbon dioxide, carbon monoxide, sulphur oxide, phosphor oxides, zinc oxide, various hydrocarbons and soot can be formed.

## 5.3 Advice for fire-fighters

Special protective equipment: According to the existing fire-fighting regulations. Respiratory protection.

Further information:

### 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.

## 6.2 Environmental precautions: Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

## 6.3 Methods and material for containment and cleaning up

On soil: Contain spilled liquid with sand, earth or other suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

according to regulation 1907/2006/EC (REACH)

## Trade name: Metabond Old Spezial

Version: 1 Latest revision:

Date of issue: 05. 09. 2013

Page: 6/(13)

6.4 Reference to other sections Personal precautions: see section 8. Waste treatment methods: see section 13.

## 7. Handling and storage

- 7.1 Precautions for safe handling
  - Keep general measures applied for normal operations with lubricants.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists. Avoid splashing the product.

Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.

When using do not eat, drink or smoke.

Handling temperature: not known

7.2 Conditions for safe storage, including any incompatibilities
Storage facilities must comply with regulations for storing of flammable liquids.
Store in dry, well ventilated place in original, closed containers.
Keep away from radiant heat, open flame and strong oxidizing agents.
Storage temperature: max. 40°C

## 7.3 Specific end use(s)

Engine oil additive for gasoline and diesel engines, for passenger cars and commercial vehicles equally, in case of significant wear.

## 8. Exposure controls / personal protection

Engineering control measures: Not required.

8.1 Control parameters: *Mineral oil mist:* 

TWA: **5 mg/m<sup>3</sup>**; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

# 8.2 Exposure controlsPersonal protection:Respiratory protection: Breathing apparatus not required.

according to regulation 1907/2006/EC (REACH)

Trade name: Metabond	Old Spezial
Version: 1 Latest revision:	Date of issue: 05. 09. 2013 Page: 7/(13)
Hand protection:	Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm). Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection:Protective goggles not required, but recommended.Skin protection:Protective clothing (oil resistant).

Environmental exposure controls: Do not discharge into drains/surface waters/groundwater.

no data

## 9. Physical and chemical properties

Other special:

9.1 Information on basic physical and chemical properties

Appearance:	
Physical state:	liquid
Colour:	brown, clear
Odour:	characteristic, not unpleasant petroleum odour
Change in physical state:	
Pour point (ISO 3016):	not available
Boiling point:	not available
Others:	
Flash point (COC) (EN ISO 2592):	160°C
Ignition point (EN ISO 2592):	not available
Autoignition temperature:	not available
Explosive properties:	not explosive
Oxidizing properties:	not available
Vapour pressure at 20°C:	negligible
Density at 15°C (EN ISO 12185):	not available
Solubility in water:	practically insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
n-Octanol/water partition coefficient:	not available
Vapour density:	not available
Evaporation Rate:	not available

according to regulation 1907/2006/EC (REACH)

## Trade name: Metabond Old Spezial

Version: 1 Latest revision:

Date of issue: 05. 09. 2013

Page: 8/(13)

		•		(EN ISO 31) (EN ISO 3	104): typ. 2	185.6 mm <sup>2</sup> /s 22.05 mm <sup>2</sup> /s applicable
9.2	Other informati no data ava					
10.	Stability and re	eactivity				
10.2	Reactivity: Chemical stabil Possibility of ha	Dangerous reactivity not known. No decomposition if stored and handled properly.				
	reactions: Conditions to av Incompatible m		Not known. Direct heat or ignition sources. Strong oxidizing agents.			
	Hazardous decomposition products:Strong oxidizing agents.No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.					
11.	Toxicological in	nformation	1			
11.1	Information on Acute toxicity:	toxicologic	al effe	ets		
	Oral: Dermal:	$LD_{50}$ (rat $LD_{50}$ (rat	·	> 2000 > 2000	mg/kg mg/kg	(based on components) (based on components)
	Acute toxicity: irritationSkin:irritant (based on components)Eye:irritant (based on components)					
	Respiratory or skin sensitisation: not sensitising (based on components)					
	Other informati	on, specific	effect	s:		
				U		t apply according to 1272/2008/EC, ns less than 3 % DMSO extract as

according to regulation 1907/2006/EC (REACH)

## Trade name: Metabond Old Spezial

Version: 1 Latest revision:

Date of issue: 05. 09. 2013

Page: 9/(13)

	Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: STOT-single exposure: STOT-repeated exposure: Aspiration hazard:	not known, resp. not mutagen (based on components) not known, resp. not carcinogen (based on components) not known, resp. no reproduction-damaging effect (based on components) not known not known not known
12.	Ecological information	
12.1	Toxicity Aquatic organisms: Soil organisms: Plants:	No data for the product.
12.2	Persistence and degradability Biodegradability:	No data available. No data available.
12.3	Bioaccumulative potential	No data available.
12.4	Mobility Mobility in soil Mobility in water:	Absorbs in soil. Floats on water.
12.5	Results of PBT and vPvB assessment	Not required.
12.6	Other adverse effects Heavy metal content: PCT, PCB and other chlorinated hydrocarbons: Environmental effects: Water hazard class (German):	None. None. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

according to regulation 1907/2006/EC (REACH)

## Trade name: Metabond Old Spezial

Version: 1 Latest revision:

Date of issue: 05. 09. 2013

Page: 10/(13)

#### 13. Disposal considerations

- 13.1 Waste treatment methods
- Product disposal:

Wastes of the product or used oil should be treated as hazardous waste. EWC cod: 13 02 05\* Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

EWC cod: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

### **14.** Transport information

Land transport: Road/ Railway	ADR/RID:	Not classified.
Waterways: Inland waterways/ Sea transport	ADN/IMDG:	Not classified.
Air transport:	ICAO / IATA:	Not classified.

according to regulation 1907/2006/EC (REACH)

## Trade name: Metabond Old Spezial

Version: 1 Latest revision:

Date of issue: 05. 09. 2013

Page: 11/(13)

## **15. Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation 1907/2006/EC (mod.: 453/2010/EC).
- 15.2 Chemical safety assessment. not available

## 16. Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

Hungarian and EU lists of dangerous substances

Relevant Hungarian regulation and EU directives

The full text of each relevant R-, H- phrase and Hazard classes and cat. in Section 3.:

R 36/38	Irritating to eyes and skin.
R 38	Irritating to skin.
R 41	Risk of serious damage to eyes.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

according to regulation 1907/2006/EC (REACH)

# Trade name:Metabond Old SpezialVersion: 1Latest revision:Date of issue: 05. 09. 2013Page: 12/(13)

R	51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the			
		aquatic environment.			
R	52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the			
		aquatic environment.			
R		May cause long-term adverse effects in the aquatic environment.			
R		Possible risk of impaired fertility.			
R	63	Possible risk of harm to the unborn child.			
H	304	May be fatal if swallowed and enters airways.			
H	315	Causes skin irritation.			
H	318	Causes serious eye damage.			
H	319	Causes serious eye irritation.			
H	361	Suspected of damaging fertility or the unborn child.			
H4	400	Very toxic to aquatic life.			
H	410	Very toxic to aquatic life with long lasting effects.			
H	411	Toxic to aquatic life with long lasting effects.			
H	412	Harmful to aquatic life with long lasting effects.			
H4	413	May cause long lasting harmful effects to aquatic life.			
As	sp. Tox. 1	Aspiration hazard Category 1			
	cin Irrit. 2	Skin corrosion/irritation Category 2			
	ve Dam. 1	Serious eye damage/eye irritation Category 1			
•	ve Irrit. 2	Serious eye damage/eye irritation Category 1			
•	epr. 2	Reproductive toxicity Category 2			
	quatic Acute 1	Hazardous to the aquatic environment, Acute Category 1			
	quatic Chronic 1	Hazardous to the aquatic environment, Chronic Category 1			
	quatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 1 Hazardous to the aquatic environment, Chronic Category 2			
	quatic Chronic 3	Hazardous to the aquatic environment, Chronic Category 2 Hazardous to the aquatic environment, Chronic Category 3			
	quatic Chronic 4	Hazardous to the aquatic environment, Chronic Category 4			
710	quare enronie 4	Thazardous to the aquate environment, emome category 4			
L	egend:				
А		pean Agreement concerning the International Carriage of Dangerous Goods by Inland			
		erways			
		pean Agreement concerning the International Carriage of Dangerous Goods by Road e Toxicity Estimate			
		ocontrentration Factor			
		blogical Oxygen Demand			
		dy Weight			
C	&L Class	sification and Labeling			

according to regulation 1907/2006/EC (REACH)

## Trade name: Metabond Old Spezial

Version: 1

Latest revision:

Date of issue: 05. 09. 2013

Page: 13/(13)

CAS		Chemical Abstracts Service					
CLP		Classification, Labelling and Packaging (1272/2008/EC)					
CMF		Carcigonic, Mutagenic or toxic to Reproduction					
COD		Chamical Oxygen Demand					
CSA		Chemical Safety Assessment					
CSR		Chemical Safety Report					
DMI		Derived Minimal Effect Level					
DNE			erived No Effect Level				
ECH	IA	European Cheamicals Agency					
Ecx		Effective Concentration x%					
ErC5	50	EC50 in terms of reduction of growth rate					
Edx		Effective Dose x%					
EC		European Community					
EC n	number	European Community number					
ELIN	NCS	European List of Notified Chemical Substances					
ES		Exposure Scenario					
ESIS	5	European Chemical Substances Information System					
IAR		International Agency for Research on Cancer					
IATA	A	International Air Transport Association					
IMD	G	International Maritime Dangerous Goods					
LCx	-	Lethal Concentration x%					
LDx		Lethal Dose x%) Halálos dózis x%					
LOA		Lowest Observed Adverse Effect Concentration					
LOA		Lowest Observed Adverse Effect Level					
LOE		Lowest Observed Effect Concentration					
LOE		Lowest Observed Effect Level					
NOE		No observed effect concentration					
NOE		No observed effect level					
NUL		No-Longer Polymer					
NOA		No Observed Adverse Effect Level					
OEC							
PBT		Organisation for Economic Cooperation and Development Persistent Bioaccumulative and Toxic					
PNE		Predicted No-Effect Concentration					
ppm		parts/million	<b>Cl</b>				
REA		Registration, Evaluation, Authorisation and Restriction of					
RID		Regulations concerning the International carriage of Dange	erous Goods by Rail				
SVH		Substance of Very High Concern					
UVC	СВ	substance of unknown or variable composition, complex re	eaction products or l	biological			
	~	materials					
VOC		Volatile organic compounds					
vPvB	3	Very Persistent and very Bio-accumulative					
Revision I	ndicators	:					
Section	Subject	of change	Date	Version			
Section	Subject		Duit	VCISION			
			L				